## GRIZZL # E EV charger



Grizzl-E is a simple, powerfull, heavy-duty and portable electric vehicle charging station made in Canada which is built to last and sustain the elements. Grizzl-E provides up to 10 KW of power to your vehicle and has physical switches inside to set 16 Amps, 24 Amps, 32 Amps or 40 Amps adjustable maximum current. Grizzl-e is available with premium output cable which remains flexible in cold temperatures. Internal design and components of the charger have been selected to provide maximum operational life of the device and be able to sustain elements.

- Charging speed, 16A/24A/32A/40A selectable/ Output up to 10 kW
- Fasy to use and operate
- ★ Robust design and internal parts for prolonged lifetime.
- Single LED indication for charging status
- Durable, water and fire resistant metal case
- ◆ Portable Charger with security lock
- Made in Canada

GRIZZL\*E





Water and Fire resistant aluminum cast metal enclosure, premium output cable available, Easy to use and Move.



Easy to Secure Charger with provided Pin and Mounting bracket. For additional security Coupler lock can be used with 7 mm shaft and 90 mm minimum length.



Up to 3 years replacement warranty.

90 Gough Road, Unit 2 Markham, Ontario L3R 5V5 Canada

+1-833-840-4970

info@unitedchargers.com www.grizzl-e.com



## **Product Features:**

J1772 AC Level 2 (208-240 VAC), 40A Continuous Rated (10.0 kW)

• Extreme Duty, Rigid & Compact Design

EVSE form factor smaller than a standard sheet of letter-size paper.

· Robust Construction, designed for Outdoor Use

Robust and heavy duty aluminum cast case; airtight enclosure for indoor or outdoor use.

Alternate Adjustable Output Ratings

40A; 10.0 kW Maximum Output Factory set - For use with 50A Circuit Rating;

32A; 7.68 kW Maximum Output - For use with 40A Circuit Rating;

24A; 5.76 kW Maximum Output – For use with 30A Circuit Rating;

16A; 3.84 kW Maximum Output – For use with 20A Circuit Rating.

Charge Cable Lengths

18 ft. (5.5m) for GR1-6-18 and GR1-14-18;

24 ft. (7.2m) for GR1-6-24 and GR1-14-24.

• Simple Operation

No user interface required with EVSE, simply Plug-in to your EV to initiate charging.

• Cable & Connector Management

Holster EasyEvPlug™ for J1772 with cable Management System.

Portable and Hardwire ready

Plug NEMA 6-50 (Models GR1-6-18 and GR1-6-24);

or Plug NEMA 14-50 (Models GR1-14-18 and GR1-14-24);

Plug-in Configuration for easy portability, any model can be hardwired by licensed electrician.

Simple, Flexible Mounting Options

Wall Mount with security features (including single stud mount), Pedestal, Bollard/Pole (Single & Dual Port) available from United Chargers.

• Electrical Circuit / Input Power Requirements

Circuit Requirement: Dedicated Single Phase 208-240VAC, 50/60 Hz;

Branch Breaker: Double pole;

Circuit Conductors: Line 1, Line 2, Earth / Ground.

Display & Indicators

LED Charge Status Indicators (Power/Ready, Charging, Fault).

UL Certified for USA and Canada